

VIRTUE TECH GLASS CO.,LTD

美德玻璃有限公司



Tempered Glass /Mirror Glass/Color Painted Glass/Custom Glass/Laminated Glass

Company Introduction

VIRTUE GLASS TECH (QINDDAO) COMPANY founded in 2005 year, thanks to the joint of Continuous efforts of VIRTUE people for more than 15years, the company has become a modern enterprise specialized in producing,processing and marketing of tempered glass, mirror glass, tempered pattern glass,silk- printed glass, Mirror glass,acid Etched Glass,custom cut glass,custom LOW-E glass,etc.

TECHNOLOGIES

Our workshops cover an are of 90k square meters and have more than 240 workers,the company introduced world-class equipment from Germany,Japan and China, as well as advanced glass processing technology.Accurate cutting, edge grinding and polishing, water jet cutting, hole drilling, CNC processing.



Tempered Glass


TEMPERED GLASS is the most popular safety glass used that meets Uniform Building Code standards. The heating and cooling process involved in making tempered glass produces a product four to five times stronger than standard annealed glass. When the glass is damaged by external force, the fragments will become small obtuse-angled particles similar to honeycombs, which are not easy to cause harm to the human body. Tempered glass has good thermal stability, can withstand a temperature of 3 times that of ordinary glass, and can withstand a temperature difference of 200°C.

SPECIFICATIONS

Maximum size: 2440mm × 5000mm

Minimum size: 100mm × 100mm

Thickness: 2 - 19mm



Acid Etched Glass

ACID ETCHED GLASS is produced by acid etching the glass to form an obscure and smooth surface. This glass admits light while providing softening and vision control. It can be used in both residential and commercial settings e.g. doors, shower screens, furniture, wall paneling, etc. Now our innovated technology could make really nice feeling acid etched glass.


SPECIFICATIONS

1830*1220mm, 1830*2440mm, 2134*3300mm, 2250*3300mm, 2140*3660mm, 2440*3660mm
customized sizes and edges.



APPLICATIONS

Tempered safety glass is recommended for use at safety glazing for potentially hazardous locations including entrance doors, Patio Doors, shower doors, kitchen glass, furniture glass, glass shelves, glass railings, fencing glass etc.



Mirror Glass

SILVER MIRROR using high-quality float glass as raw sheet,washed by purified,water,polished,sprayed,sensitized,silver coated and copper consecutively. The first pass : paint-drain to be corrosion-resistant and dry,the second pass: paint-drain to be waterproof ,hard and dry. It adopts import waterproof protective paint with back one corrosion and dampness resistant and waterproof.this line also can produce Copper Lead Free silver mirror,within 2 layer coated with import chemicals, ensuring highly effective and integration,without copper layer.

SPEFICATIONS


1830*1220mm,1830*2440mm,2134*3300mm,2250*3300mm,2140*3660mm,2440*3660mm
customized sizes and edges.



ALUMINUM MIRROR produced by using vacuum magnetic sputtering technology for the first time in the country is baked with two-layer paints and operates on full automatic flow line,which totally changed traditional production process and technology level of aluminum mirror and thus improved quality in a true sense.

CHROME MIRROR with a good balance between reflective rate and heat & wear-resistant performance, chrome mirror glass is a popular choice for passenger cars, Compared with aluminum mirror glass,chrome mirror glass features a lower reflective rate, but it has better performance in wear-resistance &anti-corrosion.Chrome mirror glass looks new & clear even after long-time usage.

Its heat-resistant performance also makes it perfect for some hi-tech door mirrors like heated side view mirrors.



SPECIFICATIONS

- 1.Edge work: framed edges, clear cut, matte edge,Satin, Seamed Edge,Flat Polished Edge, Pencil Polish Edge,Bevel Edge.
- 2.Mirror Shapes: Round, Rectangle, Oval,Square, Heart ,Arch etc.
- 3.Mirror thickness:0.7mm,1.1mm,1.3mm,1.5mm, 1.8mm,2mm,3mm,4mm,5mm,6mm,8mm.
4. Sizes:1830*1220mm,1830*2440mm,2134*3300mm,2250*3300mm,2140*3660mm, 2440*3660mm,customized sizes.

LED Mirror



VGM001

Size: H1100xW700
5MM Silver Mirror
Back Alu.Frames

VGM016

Size: H1100xW700
5MM Silver Mirror
Back Alu.Frames

VGM013

Size: H1100xW700
5MM Silver Mirror
Back Alu.Frames

VGM017

Size: H1100xW700
5MM Silver Mirror
Back Alu.Frames



VGM002

Size: H800xW600
5MM Silver Mirror
Back Alu.Frames

VGM003


Size: H800xW600
5MM Silver Mirror
Back Alu.Frames

VGM009

Size: H800xW600
5MM Silver Mirror
Back Alu.Frames

VGM008

Size: H800xW600
5MM Silver Mirror
Back Alu.Frames



VGM005

Size: H800xW600
5MM Silver Mirror
Back Alu.Frames

VGM007

Size: H800xW600
5MM Silver Mirror
Back Alu.Frames

VGM082

Size: H1500xW500
5MM Silver Mirror
Back Alu.Frames

VGM073

Size: H800xW600
5MM Silver Mirror
Back Alu.Frames

LED Mirror



VGM051

Size: D.600/800/1000
5MM Silver Mirror
Back Alu.Frames

VGM054

Size: D.600/800/1000
5MM Silver Mirror
Back Alu.Frames

VGM052

Size: D.600/800/1000
5MM Silver Mirror
Back Alu.Frames

VGME-5

Size: D.600/800/1000
5MM Silver Mirror
Back Alu.Frames



VGM703

Size: H800xW600
5MM Silver Mirror
Back Alu.Frames

VGM071

Size: H1200xW600
5MM Silver Mirror
Back Alu.Frames

VGME061

Size: H1200xW600
5MM Silver Mirror
Back Alu.Frames

VGME-3

Size: H1500xW500
5MM Silver Mirror
Back Alu.Frames

DIFFERENT OPTIONS

- Touch switch(Single touch)
- Mechanical switch (Square button/Round button)
- Touch switch (double touch/with clock touch) Dimming Touch switch Infrared induction switch (with anti-fog on and off/color change)
- 💡 Single color: Natural white 3000k Single color: Warm white 4000k
2 CCT: White + warm white 3-6000k
- ⚡ 220-240V/ European standard CE/IP44
110-130V/American standard UL/IP44/IP20
- 🔌 European standard: VDE0.757 twin-core cable
American standard:UL18# three-core cable/twin-core cable

Colored Glass

SILK PRINTED GLASS is a special kind of decorative glass made by printing a layer of ceramic ink on the surface of glass through the screen mesh for tempering or heat-strengthening process after. As a result silk-screen printed glass is durable, scratch-proof, solar shading and with anti-glare effect. Its acid and moisture resistant features maintain colors for decades, whereas various color and graphic choices are an option. The tempered silk-screen printed glass has safety glass properties.


BACK PAINTED GLASS is a kind of decorative glass, that has been painted on one side to make the color shows through, we only use FENZI high grade paint and high transparent float glass to produce.

SPEFICATIONS

Many colors can choose, black, white, red, blue, green, orange etc.

Sizes: 1830*1220mm, 1830*2440mm, 2134*3300mm, 2250*3300mm, 2140*3660mm, 2440*3660mm
customized sizes and edges.

Glass type: colored float glass, colored pattern glass, colored LOW-E Glass, colored laminated glass, colored magnetic glass.



APPLICATIONS

The colored glass has been used in many places, and has been successfully used for wall panels, table tops, counter tops, cabinet doors, partitions etc. Especially the silk printed glass can endure high temperature. Can be used in home and kitchen appliances, like kitchen glass splash backs, oven doors, cook tops etc.



Laminated Glass

LAMINATED GLASS is produced by laminating one or more layers of organic resin inter-layer between two or more pieces of glass at high temperature and pressure. According to different types of inter-layer, laminated glass can be made into products of different characteristics. Its application should be correctly selected based on the requirements. Advantages of laminated glass, Cyclone resistant, superior UV blockage, excellent sound damping properties, and low Visible distortion.

SPECIFICATIONS

Glass color: Clear, Extra Clear, F-Green, Dark Green, Ford Blue, Dark Blue, Bronze, Euro Grey, etc.

Glass thickness: 2+0.38PVB+2mm, 3+0.38PVB+3mm, 4+0.38PVB+4mm, 5+0.38PVB+5mm, 6+0.76PVB+6mm, 8+1.52PVB+8mm, 10+1.52PVB+10mm etc.




PVB Film: 0.38mm, 0.76mm, 1.14mm, 1.52mm, 1.9mm etc.

Size: 1830*1220mm, 1830*2440mm, 2140*3300mm, 2140*3660mm, 2250*3210mm, 2440*3660mm



APPLICATIONS

External use of glass walls, windows, doors, shop fronts.
 In offices, houses and shops etc.
 Interior glass screens, partitions, glass railings, glass fences and glass balustrade etc.
 Showcases, display shelves, shop display windows.
 Furniture, table tops, glass covers, etc.




Custom Cut Glass

The factory process all kinds of custom cut glass for more than 15years, the custom cut glass applied in glass photo frames,electronic glass cover board, lighting glass cover, Lamp Glass, glass control board,Craft Glass and Solar panel glass etc.

Original Glass

- 0.7mm-12mm float glass
- 2mm-12mm ultra clear glass
- 2mm-10mm pattern glass
- Custom tempered solar glass
- Reflective coated glass
- LOW-E glass
- Anti-reflective /Non-glare glass



Glass for picture frames/ Glass for lamp and LED lighting/ Glass for craft and instrument covers/ Electronic Glass etc




Quality-Control

The staff are well trained, paying high attention to each procedure and each piece of products with our increasing efforts, our products are well feedback by domestic and overseas markets.especially in Europe , America, south America and Middle east markets.

Every process in production has quality control, Accurate size and meet the glass standards, glass particle size were promise. Using professional testing tools, which were certified by certification authority. The test data of each order is recorded.

Incoming Quality Control---In Process Quality Control Section----Process Quality Control-----Final Quality Control--Out-going Quality Control



Our company has always put product quality in the first place as product quality is the life of an enterprise. We try to implement the sense of quality to the heart of every employee,into the production of each link and details, strive for excellence. We take customer's satisfaction as the main criterion for the assessment of all the production activities, customer demand is always our pursuit.



Safety-Loading

Factory pack as per standard and customized packing way.

Different packing ways are available.

Ensure no broken happen on the way.



Certification



Contact Information

VIRTUE TECH GLASS CO.,LIMITED

ADDRESS: ROAD111,DIANQIAN VILLAGE PIDING CITY P.C SHANDONG CHINA

美德玻璃科技有限公司

地址: 山东省青岛市平度店前村111号

T. 86-532-8317-8801
F.86-532-8317-8802

E.INFO@GLASSVIRTUE.COM

T. 86-158-630-60100 86-132-764-27341

www.virtueglassgroup.com
www.xinyirbothor.com



THE QUALITY POLICY

Strict management, continuous innovation,continuous improvement,customer satisfaction.

质量方针：严格管理，不断创新，持续改善，用户满意。